

FORM PTO-1390 (Modified) (REV 11-2000)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER <b>218094US67PCT</b>	
<b>TRANSMITTAL LETTER TO THE UNITED STATES</b> <b>DESIGNATED/ELECTED OFFICE (DO/EO/US)</b> <b>CONCERNING A FILING UNDER 35 U.S.C. 371</b>				U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR <div style="font-size: 1.5em; font-weight: bold; text-align: center;">10/031573</div>	
INTERNATIONAL APPLICATION NO <b>PCT/US00/19538</b>		INTERNATIONAL FILING DATE <b>20 July 2000</b>		PRIORITY DATE CLAIMED <b>20 July 1999</b>	
TITLE OF INVENTION <b>TELECOMMUNICATIONS CONTROL SYSTEM USING DATA INTERCHANGE</b>					
APPLICANT(S) FOR DO/EO/US <b>GREENBLATT David</b>					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<ol style="list-style-type: none"> <li>1. <input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371.</li> <li>2. <input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371.</li> <li>3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.</li> <li>4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31).</li> <li>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371 (c) (2))           <ol style="list-style-type: none"> <li>a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau).</li> <li>b. <input checked="" type="checkbox"/> has been communicated by the International Bureau.</li> <li>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</li> </ol> </li> <li>6. <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).           <ol style="list-style-type: none"> <li>a. <input type="checkbox"/> is attached hereto.</li> <li>b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4).</li> </ol> </li> <li>7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))           <ol style="list-style-type: none"> <li>a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</li> <li>b. <input type="checkbox"/> have been communicated by the International Bureau.</li> <li>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</li> <li>d. <input checked="" type="checkbox"/> have not been made and will not be made.</li> </ol> </li> <li>8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</li> <li>9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).</li> <li>10. <input type="checkbox"/> An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).</li> <li>11. <input checked="" type="checkbox"/> A copy of the International Preliminary Examination Report (PCT/IPEA/409).</li> <li>12. <input checked="" type="checkbox"/> A copy of the International Search Report (PCT/ISA/210).</li> </ol>					
<b>Items 13 to 20 below concern document(s) or information included:</b>					
<ol style="list-style-type: none"> <li>13. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</li> <li>14. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</li> <li>15. <input type="checkbox"/> A <b>FIRST</b> preliminary amendment.</li> <li>16. <input type="checkbox"/> A <b>SECOND</b> or <b>SUBSEQUENT</b> preliminary amendment.</li> <li>17. <input type="checkbox"/> A substitute specification.</li> <li>18. <input type="checkbox"/> A change of power of attorney and/or address letter.</li> <li>19. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825</li> <li>20. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4).</li> <li>21. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).</li> <li>22. <input type="checkbox"/> Certificate of Mailing by Express Mail</li> <li>23. <input checked="" type="checkbox"/> Other items or information:  <div style="margin-left: 20px;"> <b>PCT/IB/304/Form PTO-1449PCT/IB/308</b>  <b>Request for Priority Under 35 U.S.C. 119(e)</b> </div> </li> </ol>					

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.031) <b>10/031573</b>		INTERNATIONAL APPLICATION NO. <b>PCT/US00/19538</b>		ATTORNEY'S DOCKET NUMBER <b>218094US67PCT</b>																	
24. The following fees are submitted: <b>BASIC NATIONAL FEE ( 37 CFR 1.492 (a) (1) - (5) ) :</b> <input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO ..... <b>\$1040.00</b> <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... <b>\$890.00</b> <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... <b>\$740.00</b> <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... <b>\$710.00</b> <input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) ..... <b>\$100.00</b> <b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				<b>CALCULATIONS PTO USE ONLY</b>																	
Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input checked="" type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).				<b>\$100.00</b>																	
<table><tr><td>CLAIMS</td><td>NUMBER FILED</td><td>NUMBER EXTRA</td><td>RATE</td></tr><tr><td>Total claims</td><td>14 - 20 =</td><td>0</td><td>x \$18.00</td></tr><tr><td>Independent claims</td><td>3 - 3 =</td><td>0</td><td>x \$84.00</td></tr><tr><td colspan="3">Multiple Dependent Claims (check if applicable).</td><td><input type="checkbox"/></td></tr></table>				CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	Total claims	14 - 20 =	0	x \$18.00	Independent claims	3 - 3 =	0	x \$84.00	Multiple Dependent Claims (check if applicable).			<input type="checkbox"/>	<b>\$0.00</b>	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE																		
Total claims	14 - 20 =	0	x \$18.00																		
Independent claims	3 - 3 =	0	x \$84.00																		
Multiple Dependent Claims (check if applicable).			<input type="checkbox"/>																		
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$230.00</b>																	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27). The fees indicated above are reduced by 1/2.				<b>\$0.00</b>																	
<b>SUBTOTAL =</b>				<b>\$230.00</b>																	
Processing fee of <b>\$130.00</b> for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f))				<b>\$0.00</b>																	
<b>TOTAL NATIONAL FEE =</b>				<b>\$230.00</b>																	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable).				<input type="checkbox"/> <b>\$0.00</b>																	
<b>TOTAL FEES ENCLOSED =</b>				<b>\$230.00</b>																	
				<b>Amount to be: refunded \$</b>																	
				<b>charged \$</b>																	
a. <input checked="" type="checkbox"/> A check in the amount of <b>\$230.00</b> to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <b>15-0030</b> A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. <b>WARNING:</b> Information on this form may become public. <b>Credit card information should not be included on this form.</b> Provide credit card information and authorization on PTO-2038.																					
<b>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.</b>																					
SEND ALL CORRESPONDENCE TO:																					
<table><tr><td><div>Surinder Sachar Registration No. 34,423</div><div></div><div>22850</div></td><td><div></div><div>SIGNATURE</div><div>Michael R. Casey</div><div>NAME</div><div>40,294</div><div>REGISTRATION NUMBER</div><div>Jan 22 2002</div><div>DATE</div></td></tr></table>						<div>Surinder Sachar Registration No. 34,423</div> <div></div> <div>22850</div>	<div></div> <div>SIGNATURE</div> <div>Michael R. Casey</div> <div>NAME</div> <div>40,294</div> <div>REGISTRATION NUMBER</div> <div>Jan 22 2002</div> <div>DATE</div>														
<div>Surinder Sachar Registration No. 34,423</div> <div></div> <div>22850</div>	<div></div> <div>SIGNATURE</div> <div>Michael R. Casey</div> <div>NAME</div> <div>40,294</div> <div>REGISTRATION NUMBER</div> <div>Jan 22 2002</div> <div>DATE</div>																				

**Telecommunications Control System Using Data Interchange**CROSS-REFERENCE TO CO-PENDING APPLICATIONS

The present application claims priority to U.S. Provisional application serial no. 60/144,869, the contents of which are incorporated herein by reference.

BACKGROUND OF THE INVENTIONField of the Invention

The present invention is directed to a telecommunications control system allowing a user to talk to a person or company providing information on a computer.

Discussion of the Background

The growth of the World Wide Web (hereinafter "the Web") has increased the amount of information that is available to consumers about products, vacation sites and many other things. However, due to the desire to place information on the Web quickly, often the information is not arranged in a fashion that answers the consumer's questions or satisfies the consumer's needs.

In parallel with the information growth, the Internet is being used for more generalized communication through technologies such as voice-over-IP. Proposals exist for providing telephone services over the Internet. One such proposal is Request for Comments (RFC) 1789 by C. Yang dated April 1995, the contents of which are incorporated herein by reference.

One use of the voice-over-IP technology is the Net2Phone service originally provided by IDT Corporation and now provided by Net2Phone, Inc., the assignee of the present invention. Using the Net2Phone service, customers can use their microphone and sound card to carry on a conversation with a called party. The called party is "dialed" by providing a phone number to a Net2Phone server that actually connects the call through the public switched telephone network (with or without using an intermediate long-haul network).

There remain problems with integrating the voice-over-IP technology with providing information on the Web. One such problem is the lack of uniformity for being able to link information on a Web site to a destination phone number if the consumer or viewer still has questions. Although it has been proposed to add an interface for dialing telephone numbers

to information displayed in the Web pages (e.g., using the Click2Talk service provided by the assignee of the present invention), adding the interface to each Web site and perhaps each individual Web page may be resource intensive. Furthermore, when the phone number corresponding to the information changes, further changes may also be necessary on the Web pages.

### SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide a more uniform method of enabling a user to connect to the person or company that is responsible for electronic information displayed on a computer.

According to one aspect of the present invention, the present invention provides a computer-implemented method and system for determining what information a user is viewing and correlating that information with an information provider such that the information provider can be called.

### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a schematic illustration of a computer for implementing one aspect of the invention;

Figure 2 is a captured image from a screen showing that the system of the present invention waits for requests to connect to a remote telephone;

Figure 3 is an illustration of a first embodiment of the interface for requesting a connection with an information provider;

Figure 4 is a flowchart illustrating the process of requesting a connection with an information provider; and

Figure 5 is a captured image showing one embodiment of how data is stored in order to provide the ability to establish a connection with an information provider.

### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring now to the drawings, wherein like reference numerals designate identical or corresponding parts throughout the several views, a brief overview of a structure for providing the services of the present invention is provided with reference to Figure 1. Figure

1 is a schematic illustration of a computer system for connecting a computer user with an information provider over a digitized speech connection. Although one embodiment of the digitized speech connection is a Net2Phone connection, other such connections, such as voice-over-IP generally, are possible.

A computer 100 implements the method of the present invention. A computer casing 102 houses a motherboard 104 which contains a CPU 106, memory 108 (e.g., DRAM, ROM, EPROM, EEPROM, SRAM, SDRAM, and Flash RAM), and other optional special purpose logic devices (e.g., ASICs) or configurable logic devices (e.g., GAL and reprogrammable FPGA). The computer 100 also includes plural input devices, (e.g., a keyboard 122 and mouse 124), and a display card 110 for controlling monitor 120. In addition, the computer system 100 further includes a floppy disk drive 114; other removable media devices (e.g., compact disc 119, tape, and removable magneto-optical media (not shown)); and a hard disk 112, or other fixed, high density media drives, connected using an appropriate device bus (e.g., a SCSI bus, an Enhanced IDE bus, or a Ultra DMA bus). Also connected to the same device bus or another device bus, the computer 100 may additionally include a compact disc reader 118, a compact disc reader/writer unit (not shown) or a compact disc jukebox (not shown). Although compact disc 119 is shown in a CD caddy, the compact disc 119 can be inserted directly into CD-ROM drives which do not require caddies. In addition, a printer (not shown) also provides printed listings of how to contact an information provider associated with or responsible for an identified set of electronic information.

For performing voice communications according to the present invention, the computer system 100 also includes a microphone 150 and speakers 155. In the embodiment shown in Figure 1, the microphone 150 and speakers 155 are provided in separate housings. However, in an alternate embodiment, one or more of the microphone 150 and speakers 155 are included in the monitor 120. The microphone 150 and speakers 155 are generally controlled by a sound card (not shown) that is either plugged into the motherboard 104 or integrated with the motherboard 104.

As stated above, the system includes at least one computer readable medium. Examples of computer readable media are compact discs 119, hard disks 112, floppy disks, tape, magneto-optical disks, PROMs (EPROM, EEPROM, Flash EPROM), DRAM, SRAM, SDRAM, etc. Stored on any one or on a combination of computer readable media, the

present invention includes software for controlling both the hardware of the computer 100 and for enabling the computer 100 to interact with a human user. Such software may include, but is not limited to, device drivers, operating systems and user applications, such as development tools. Such computer readable media further includes the computer program product of the present invention for connecting a computer user with an information provider over a digitized speech connection. The computer code devices of the present invention can be any interpreted or executable code mechanism, including but not limited to scripts, interpreters, dynamic link libraries, Java classes, and complete executable programs.

Turning now to the operation of the present invention, the program implementing the system of the present invention is started (potentially at system start-up time) and readies itself to receive requests. In the embodiment shown in Fig. 2, the system also has installed its icon 200 in the system tray of the Windows operating system. (In an alternate embodiment, the system is started only when needed and does not remain in the system tray.)

When the user selects the icon 200, the system responds by obtaining the site name of the information that the user is viewing. In the first embodiment, which is the most rudimentary, there is no direct communication between the browser 210 and the system. As such, the system displays an interface for receiving a site name. One such interface is a dialog box, such as the dialog box shown in Fig. 3. After the user enters the site name and selects the "OK" button, the system determines the telephone number, if any, that has been registered as corresponding to the site name, as described more fully below. However, the transfer of the Web site name from the text-input field 220a (shown in Fig. 2) for the URL to the text-input field 220b (shown in Fig. 3) may introduce errors if the user retypes the site's name. Although the user may copy-and-paste the site's name from one field 220a to the other field 220b, that copy-and-paste process requires additional keystrokes.

In an alternate embodiment, the number of keystrokes required to provide the system with the site's name is reduced. According to the alternate embodiment, the user simply highlights the site's name in the text field 220a and copies the name to the clipboard. Then, when the icon 200 is selected from the system tray, the system reads the contents of the clipboard and uses the read text as the basis of its request. If the system is unable to verify that the clipboard contains text that seems to be a site's name, then the system can revert to displaying the dialog box shown in Fig. 3.

In yet another alternate embodiment, the browser 210 and the system have the greatest integration. Without requiring that the user highlight the text in the text field 220a, the system nonetheless can obtain the text in the text field 220a. The request is made of the browser 210 when the user clicks on the icon 200 or utilizes a defined hot-key combination. Such a hot-key combination is captured through the use of Windows hooks or any other technique that allows the system to receive keystrokes.

Through the use of dynamic data exchange (DDE) messages (or any other inter-process communication mechanism, such as shared memory and named or anonymous pipes), the server can send a request to the browser 210. The request asks that the browser 210 send the text contained in the text field 220a to the program of the system. That text can be sent back using the same or a different inter-process communication method than was used for making the request.

In yet another alternate embodiment, the system is configured to read the last visited Web site from the history file of the browser 210.

Using any of the above-described techniques, the system of the present invention can obtain the site name of the information being displayed. Thus, the system performs the first step, step 400 shown in Fig. 4, of the method of the invention. As further shown in Fig. 4, the second step of the invention, step 410, includes sending a request to convert the site name to a telephone number. Such a request can either be sent to a local or a remote server.

Using local servers has the drawback of requiring that the local servers maintain consistent data with what the information provider intended. Accordingly, an alternate embodiment utilizes a name-to-number server on a remote machine. The system connects to the name-to-number server (e.g., using TCP/IP sockets) and sends the site's name to the name-to-number server. When the name-to-number server receives the request, the name-to-number server looks up the site's name in a database (e.g., the database shown in Fig. 5). The database correlates the site's name with a voice (or video-voice) destination number.

As shown in Fig. 5, these numbers may be different for different parts of the Web site hierarchy. For example, the main page of the Web site has a different number than those parts associated with the sales and marketing portions of the Web site.

Since often the beginning part of the site's name is repeated, the remote name-to-number server must determine the longest sub-string of the site's name that has a

corresponding entry in the database. For example, if the user is viewing a page with an address:

[www.net2phone.com/sales/overseas/france.htm](http://www.net2phone.com/sales/overseas/france.htm)

it would not be appropriate to stop the matching process upon matching:

[www.net2phone.com](http://www.net2phone.com).

There are several longer strings that still match. Thus, the appropriate final match would be:

[www.net2phone.com/sales/overseas](http://www.net2phone.com/sales/overseas)

having a corresponding phone number of 888-555-1212. According to the invention, it is preferable that the information provider have a toll-free number, but toll-based numbers are also possible. Indeed, the database shown in Fig. 5 includes both a primary number (that is preferably toll-free) and a secondary number that is used if the primary number is not usable (e.g., if a user is outside a toll-free zone).

When the server finds a match, the telephone number is sent back to the system so that the system can establish a voice connection with the information provider. In the preferred embodiment, the connection is established using the Net2Phone service. If the number that is retrieved is a toll-free number, no accounting need be performed by the server connecting the call. On the other hand, if the number is not toll-free, then the server will require authorization to complete the call. Authorizations can include a collect call or calls billed to an account (e.g., a Net2Phone account or a credit card account). In the case of a credit card account, the system establishing the call will have to perform a separate credit card authorization.

It is also possible that the database does not contain a valid entry for the site name specified in the request. In such a case, the reply from the name-to-number server indicates that no number was found. The server can then display an error message to the user indicating that the connection cannot be established. Such an error likewise can be indicated using a voice message or a graphic.



In an alternate embodiment, in order to avoid displaying error messages to the user when a database entry cannot be found, the system performs additional processing to determine the phone number on behalf of the user. In one such embodiment, the system parses the Web page corresponding to the URL that was being viewed to determine if a phone number is embedded within the Web page itself. If no phone information is found within that page, the system can alternately parse the contents of other pages (e.g., the "root" home page or home page with a fixed name off of the root, such as "/phone.html") in an attempt to find a valid phone number. The system can even "spider" back up the URL tree until it finds a phone number that is assumed to be used for all entries below it. For example, if "www.net2phone.com/sales/overseas/france.htm" does not contain a phone number within it, the system would retrieve and parse the page corresponding to "www.net2phone.com/sales/overseas" to determine if that page contained a valid phone number. If that too failed, then the system would retrieve and parse the page corresponding to "www.net2phone.com/sales." This process is repeated for each level in the URL hierarchy until a valid phone number is found or until no further levels remain.

If a phone number cannot be found by parsing one or more Web pages, the system of the present invention parses the URL name so that a phone number of the company can be determined from one or more directory services. For example, by parsing out "Net2Phone" from a URL, that name can be used in a Yellow Pages query. The result of the query can be parsed to determine a valid phone number.

In addition, other directory services such as "whois" can be used. Since all domain names are registered in a "whois" database (currently maintained by Network Solutions, Inc.), a "whois" query can be used to determine a phone number for the party responsible for the domain name forming the root of the URL. For "net2phone.com", the system can request information on Net2Phone by requesting the corresponding whois Web page at: <http://www.networksolutions.com/cgi-bin/whois/whois?STRING=net2phone>. The results can be parsed so that a Click2Talk connection can be established. One of ordinary skill in the art will appreciate that other services (e.g., finger or e-mail with auto-reply) can be used to obtain a phone number as well.

However, it is also possible to continuously track what information a user is viewing so that the system can display to the user (before the user makes a request) whether or not the

Current URL in the text field 220a is registered. In this embodiment, the system and the browser 210 exchange information as each new Web page is viewed. After exchanging information, the icon 200 flashes and/or changes color when a user visits a Web site that is listed in the database. Thus, when the icon 200 is flashing, the user knows that a call can be initiated quickly.

Although the above description has been given in terms of the system specifying a telephone number to be dialed by a remote server, in an alternate embodiment, the present invention determines the number to be dialed and then uses the user's telephone to actually complete the call. When the user is connected to the Web using the telephone, the system requests permission to hang-up the phone in order to establish the telephone connection. When the user is connected to the Web without using the telephone (e.g., using a cable-modem or wireless connection), the system need only check that the telephone is not already in use (e.g., by checking for a dial tone). Using this alternate embodiment, the user is not restricted to being close to the computer while talking with the information provider. Instead, the user is free to switch to a cordless phone and move about. Similarly, using this alternate embodiment, the user has the benefit of the quality of a true telephone connection.

In yet another alternate embodiment, the user also does not dial a telephone number but rather connects to a voice server over an IP-based connection. The voice server routes incoming connection requests to available agents without requiring that a telephone line be used on the information provider's side. For example, an information provider may have a T3 connection to the Internet and many conversations are carried over the T3 line simultaneously. By using a voice server, a company may eventually be able to reduce its costs associated with its toll free (e.g., 800/888/877) telephone number(s).

In yet another alternate embodiment, the system sends a message to a telephone switch at the information provider such that the information provider (1) calls back the user at the telephone number associated with the user and (2) calls an agent at the information provider. This is beneficial for companies that do not have toll-free service or for users that cannot access toll-free (such as international customers). One such service is Click2CallMeBack and enables the call to be set up either immediately or at a later time specified by the user. In order to ensure that the user is prepared to receive the call when scheduled, the user is first connected to an automated recording asking if the user is ready. If

WO 01/06387

PCT/US00/19538

the user is not ready, the call can be canceled. If the call is accepted, the system connects to an agent and then bridges the existing call with the call to the agent.

Although the above has been described in terms of a communication between the system and a browser 210, in an alternate embodiment, the system communicates with a target program that is not a browser 210. In that alternate embodiment, the target program and the system communicate, preferably through DDE messages. In one such embodiment, the system communicates with Adobe Acrobat or Microsoft Word to retrieve a document or company identifier that corresponds to the document being viewed. For example, after having downloaded a tax form from the IRS web site, a tax-payer may have questions about how to fill-out the form. The tax-payer, therefore, can call the IRS's hotline.

If the document or company identifier is a site's name, then processing can proceed as described above. If instead the identifier is the number to be called directly, then a voice connection can be established without interacting with a remote name-to-number server.

Obviously, numerous modifications and variations of the present invention are possible in light of the above teachings without departing from the spirit of the present invention.

CLAIMS

1. A computer program product, comprising:
  - a computer storage medium and a computer program code mechanism embedded in the computer storage medium for causing a voice communications channel to be opened between a user-side and an information provider-side, the computer program code mechanism comprising:
    - a first computer code device configured to obtain an identifier corresponding to electronic information being displayed to a user;
    - a second computer code device configured to convert the identifier into a telephone number corresponding to a location at which a provider of the electronic information can be contacted; and
    - a third computer code device configured to dial the telephone number.
2. The computer program product according to claim 1, wherein the first computer code device comprises a fourth computer code device configured obtain a Uniform Resource Locator corresponding to a Web page being displayed to the user.
3. The computer program product according to claim 1, wherein the third computer code device comprises a fourth computer code device configured to control a telephone switch to dial the telephone number.
4. The computer program product according to claim 1, further comprising a fourth computer code device configured to establish a voice-over-IP connection between a computer of the user and the information provider-side.
5. A computer-implemented method comprising:
  - obtaining an identifier corresponding to electronic information being displayed to a user;
  - converting the identifier into a telephone number corresponding to a location at which a provider of the electronic information can be contacted;
  - dialing the telephone number; and
  - requesting that a voice communications channel to be opened between a user-side and an information provider-side.

6. The method as claimed in claim 5, wherein the step of obtaining comprises obtaining a Uniform Resource Locator corresponding to a Web page being displayed to the user.

7. The method as claimed in claim 5, wherein the step of dialing comprises controlling a telephone switch to dial the telephone number.

8. The method as claimed in claim 5, further comprising establishing a voice-over-IP connection between a computer of the user and the information provider-side.

9. The method as claimed in claim 5, further comprising establishing a voice-over-IP connection between a computer of the user and the information provider-side across a Wide Area Network.

10. The method as claimed in claim 5, further comprising establishing a voice-over-IP connection between a computer of the user and the information provider-side across the Internet.

11. A telecommunications system comprising:  
a receiver configured to obtain an identifier corresponding to electronic information being displayed to a user;  
a converter configured to convert the identifier into a telephone number corresponding to a location at which a provider of the electronic information can be contacted; and  
a dialing circuit configured to dial the telephone number to establish a voice communications channel between a user-side and an information provider-side.

12. The telecommunications system according to claim 11, wherein the receiver comprises a receiver configured obtain a Uniform Resource Locator corresponding to a Web page being displayed to the user.

13. The telecommunications system according to claim 11, wherein the dialing circuit comprises a telephone switch controller to dial the telephone number.

14. The telecommunications system according to claim 11, further comprising a communications interface configured to establish a voice-over-IP connection between a computer of the user and the information provider-side.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
25 January 2001 (25.01.2001)

PCT

(10) International Publication Number  
**WO 01/06387 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 15/16**,  
H04L 12/16, 12/50, 12/66, H04Q 11/00, H04M 11/00

(21) International Application Number: PCT/US00/19538

(22) International Filing Date: 20 July 2000 (20.07.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/144,869 20 July 1999 (20.07.1999) US

(71) Applicant (for all designated States except US):  
**NET2PHONE** [US/US]; 2nd floor, 171 Main Street,  
Hackensack, NJ 07601 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **GREENBLATT**,  
**David** [US/US]; 25 Lawrence Avenue, Lawrence, NY  
11559 (US).

(74) Agents: **CASEY, Michael, R.** et al.; Oblon, Spivak, Mc-  
Clelland, Maier & Neustadt, P.C., Crystal Square Five,  
Fourth floor, 1755 Jefferson Davis Highway, Arlington, VA  
22202 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,  
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: TELECOMMUNICATIONS CONTROL SYSTEM USING DATA INTERCHANGE



(57) Abstract: A method and system for connecting a computer (100) user with an information provider over a digitized speech connection. By determining what information a computer (100) user is viewing, the system determines a telephone number associated with that information. The telephone number can be determined via database lookup, parsing of the information, and/or a directory service using a portion of the name of the information as the query string. The telephone number can then be used to form a telephone connection with the information provider.

WO 01/06387 A1





FIG. 2





*FIG. 3*

The figure shows a rectangular window with a shaded title bar at the top. Inside the window, the text "Enter web site:" is positioned to the left of a horizontal text input field. A leader line with the label "220b" points to the right end of this input field. Below the input field, there are two buttons: "OK" on the left and "Cancel" on the right. Both buttons are rectangular with a double-line border.



*FIG. 4*

FIG. 5



## Page 1 of 2

My residence, post office address and citizenship are as stated below next to my name,

# TELECOMMUNICATIONS CONTROL SYSTEM USING DATA INTERCHANGE

☐ is attached hereto.

☐ was filed on \_\_\_\_\_ as  
Application Serial No. \_\_\_\_\_  
and amended on \_\_\_\_\_

☒ was filed as PCT international application  
Number PCT/US00/19538  
on 20 July 2000,  
and was amended under PCT Article 19  
on \_\_\_\_\_ (if applicable).

We (I) acknowledge the duty to disclose information known to be material to the patentability of this application as defined in Section 1.56 of Title 37 Code of Federal Regulations.

We (I) hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed. Prior Foreign Application(s)

Application No.	Country	Day/Month/Year	Priority Claimed	
			<input type="checkbox"/> Yes	<input type="checkbox"/> No
			<input type="checkbox"/> Yes	<input type="checkbox"/> No
			<input type="checkbox"/> Yes	<input type="checkbox"/> No
			<input type="checkbox"/> Yes	<input type="checkbox"/> No

We (I) hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

60/144/869  
(Application Number)

20 July 1999  
(Filing Date)

(Application Number)

(Filing Date)

We (I) hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or under § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

Application Serial No.

Filing Date

Status (pending, patented,  
abandoned)

PCT/US00/19538

20 July 1999

And we (I) hereby appoint the following registered practitioner(s):



as our (my) attorneys, with full powers of substitution and revocation, to prosecute this application and to transact all business in the Patent Office connected therewith; and we (I) hereby request that all correspondence regarding this application be sent to



We (I) declare that all statements made herein of our (my) own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

1-00 David GREENBLATT  
NAME OF FIRST SOLE INVENTOR

[Signature]  
Signature of Inventor

2/13/2002  
Date

Residence: 25 Lawrence Avenue, Lawrence, NY  
11559, United States

Citizen of: United States USX

Mailing Address: Same as Above